

	Hits	Search Text	DBs
1	23091	authenticat\$4 and (@pd < "20000515" or @ad < "20000515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	11980	authenticat\$4.ab. and (@pd < "20000515" or @ad < "20000515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1253	S2 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	79	S3 and purchase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1	S3 and teminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	517	S3 and terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	517	S3 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	273	S7 and (mobile NEAR3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	23	S8 and (receiving NEAR3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	9	S9 and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	65	S8 and card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	29	S11 and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	11980	authenticat\$4.ab. and (@pd < "20000515" or @ad < "20000515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1253	S13 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	517	S14 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	273	S15 and (mobile NEAR3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	65	S16 and card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	29	S17 and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	10	S18 and (card NEAR3 credit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	7	S19 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	66	S16 and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	10	S21 and (card NEAR3 credit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	7	S22 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	7	S23 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	3	S24 and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	33	S16 and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	94	S16 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	23	S27 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	15	S27 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	17	"23" and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	13	S29 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	3	S31 and (credit near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	4	S32 and (credit near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	2	S34 and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	3	S34 and (location or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	33	S14 and (terminal same (location or address) same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	19	S37 and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	6	S38 and (credit NEAR3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	6	S39 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	73	S14 and (terminal same (location or address) same (database or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
41	11980	authenticat\$4.ab. and (@pd < "20000515" or @ad < "20000515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	1253	S42 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	73	S43 and (terminal same (location or address) same (database or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	517	S43 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	273	S46 and (mobile NEAR3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	33	S47 and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	23	S48 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	13	S49 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	4	S50 and (credit near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	73	S44 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	4	S51 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	4	S52 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	12175	authenticat\$4.ab. and (@pd < "20000515" or @ad < "20000515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	1279	S54 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	528	S55 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	275	S56 and (mobile NEAR3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	34	S57 and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	23	S58 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	13	S59 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	4	S60 and (credit near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
61	4	S61 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	4	S62 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	0	S63 and (compar\$5 with location\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	1217 5	authenticat\$4.ab. and (@pd < "20000515" or @ad < "20000515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	1279	S65 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	73	S66 and (terminal same (location or address) same (database or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	21	S67 and (compar\$5 with location\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	12	S67 and (compar\$5 near5 location\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	12	S67 and (compar\$5 near4 location\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	11	S67 and (compar\$5 near3 location\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	10	S67 and (compar\$5 near2 location\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB